



Publication Year	2016
Acceptance in OA	2020-04-29T10:35:34Z
Title	Structure And Orientation Of BLR In Quasars
Authors	Bisogni, Susanna, Risaliti, G., Marconi, Alessandro, Denney, K., Peterson, B.
Publisher's version (DOI)	10.5281/zenodo.163670
Handle	http://hdl.handle.net/20.500.12386/24302

Structure and orientation of BLR in quasars

Susanna Bisogni

Guido Risaliti

Alessandro Marconi


Kelly Denney

Brad Peterson




*Università degli Studi di Firenze
INAF, Osservatorio Astrofisico di Arcetri*

AGN Unified Model: inner components




VandenBerk et al. 2001

AGN Unified Model: inner components



AGN Unified Model: inner components



[OIII] vs Broad Lines

Hb, Ha, MgII

Susanna Bisogni


Guido Risaliti

Alessandro Marconi

(Università di Firenze, INAF OAA Arcetri)

EW[OIII]: quasar orientation indicator

Risaliti, Salvati, Marconi 2011




$$L_{[OIII]} \text{ ISOTROPIC}$$
$$L_{DISK_{obs}} = L_{DISK_{int}} \cos \vartheta$$

$$EW_{[OIII]} \propto f(\vartheta)$$

EW[OIII]: quasar orientation indicator

Risaliti, Salvati, Marconi 2011





- Low EW[OIII]
→ Mostly *face-on* sources
- High EW[OIII]
→ *Edge-on* sources
- BLR → disk-shaped

EW[OIII]: quasar orientation indicator

Bisogni, Marconi, Risaliti 2016



12000 blue objects
from SDSS DR7



Susanna Bisogni, AGN12 Napoli 26-29 Settembre 2016



EW[OIII]: quasar orientation indicator → Narrow Lines

Bisogni, Marconi, Risaliti 2016



EW[OIII]: quasar orientation indicator → Broad Lines



Bisogni, Marconi, Risaliti 2016



$$v_{oss} = v_{int} \sin \vartheta$$

EW[OIII]: quasar orientation indicator → Broad Lines

Bisogni, Marconi, Risaliti 2016




EW[OIII]: quasar orientation indicator

Implications

Knowing source orientation allows to:


- Connect emissions shape to geometry
→ morphological study of unresolved, inner regions
- Correct virial mass estimations for non edge-on sources



$$M_{\bullet} = f \frac{v_{int}^2 R_{BLR}}{G} = f \frac{\left(\frac{v_{oss}}{\sin i}\right)^2 R_{BLR}}{G}$$

- Many other implications we are still working on!

AGN Unified Model: inner components




[OIII] vs Broad Lines CIV

*Susanna Bisogni
Kelly Denney
Brad Peterson
(Ohio State University)*

CLV virial estimator???

Denney 2012



$$M_{\bullet} = f \frac{v^2 R_{BLR}}{G}$$





v^2 = linewidth
→ is a line of sight
velocity,
not only gas in virial
condition!

CIV-[OIII] connection

- [OIII] intense $\rightarrow$ CIV peaky and symmetric
- [OIII] weak or absent $\rightarrow$ CIV boxy and blueshifted



Bisogni, Denney, Peterson in prep.



CIV-[OIII] connection

- [OIII] intense $\rightarrow$ CIV peaky and symmetric
- [OIII] weak or absent $\rightarrow$ CIV boxy and blueshifted


Bisogni, Denney, Peterson in prep.



CIV-[OIII] connection

- [OIII] intense $\rightarrow$ CIV peaky and symmetric
- [OIII] weak or absent $\rightarrow$ CIV boxy and blueshifted


Bisogni, Denney, Peterson in prep.




CIV-[OIII] connection

- [OIII] intense $\rightarrow$ CIV peaky and symmetric
- [OIII] weak or absent $\rightarrow$ CIV boxy and blueshifted
Bisogni, Denney, Peterson in prep.

Peak CIV $\rightarrow$ NO outflow,
NLR present!




Boxy, blueshifted CIV $\rightarrow$
OUTFLOW,
NO NLR!




CIV-[OIII] connection

Bisogni, Denney, Peterson in prep.




CIV-[OIII] connection

FWHM(CIV) must have a tight correlation with FWHM(H β) and should not depend on [OIII] behaviour!





CIV-[OIII] connection

FWHM(CIV) must have a tight correlation with FWHM(H β) and should not depend on [OIII] behaviour!




CIV-[OIII] connection: goal

Bisogni, Denney, Peterson in prep.



CIV-[OIII] connection: goal

Bisogni, Denney, Peterson in prep.



→ corrected FWHM(CIV)

CIV-[OIII]: PCA and correlations

Bisogni, Denney, Peterson in prep.

- Measuring CIV-[OIII] profiles properties:
 - FWHM
 - asymmetric indexes
 - centroids
 - ...

CIV-[OIII]: PCA and correlations

Bisogni, Denney, Peterson in prep.

- Measuring CIV-[OIII] profiles properties: - FWHM
 - asymmetric indexes
 - centroids
 - ...
- Finding drivers of CIV-[OIII] connection via PCA and Spearman correlation coefficients of measured properties

CIV-[OIII]: PCA and correlations

Bisogni, Denney, Peterson in prep.

- Measuring CIV-[OIII] profiles properties: - FWHM
 - asymmetric indexes
 - centroids
 - ...
- Finding drivers of CIV-[OIII] connection via PCA and Spearman correlation coefficients of measured properties
- Finding good representations of: - CIV peakiness $f(\text{peak})$
 - CIV blueness $f(\text{blue})$

CIV-[OIII]: PCA and correlations

Bisogni, Denney, Peterson in prep.

- Measuring CIV-[OIII] profiles properties:
 - FWHM
 - asymmetric indexes
 - centroids
 - ...
- Finding drivers of CIV-[OIII] connection via PCA and Spearman correlation coefficients of measured properties
- Finding good representations of:
 - CIV peakiness $f(\text{peak})$
 - CIV blueness $f(\text{blue})$

→ correct FWHM(CIV):

$$\text{FMHM}(\text{H}\beta) = \text{FWHM}(\text{CIV}) \cdot \frac{f(\text{peak})^\alpha}{f(\text{blue})^\beta}$$

CIV-[OIII]: PCA and correlations

Bisogni, Denney, Peterson in prep.

- Measuring CIV-[OIII] profiles properties: - FWHM
- asymmetric indexes
- centroids
- ...
- Finding drivers of CIV-[OIII] connection via PCA and Spearman correlation coefficients of measured properties
- Finding good representations of: - CIV peakiness $f(\text{peak})$
- CIV blueness $f(\text{blue})$

→ correct FWHM(CIV):

$$\text{FMHM}(\text{H}\beta) = \text{FWHM}(\text{CIV}) \cdot \frac{f(\text{peak})^\alpha}{f(\text{blue})^\beta}$$

[OIII] vs Broad Lines: Conclusion

Using UV/optical emission lines in a mutual framework to infer information on:

[OIII] vs Broad Lines: Conclusion

Using UV/optical emission lines in a mutual framework to infer information on:

- Geometry and dynamics of the emitting regions

EW[OIII] : BLR disk-shaped

[OIII] - CIV : Outflows in the accretion disk - inner BLR
→ inhibition of NLR

[OIII] vs Broad Lines: Conclusion

Using UV/optical emission lines in a mutual framework to infer information on:

- Geometry and dynamics of the emitting regions

EW[OIII] : BLR disk-shaped

[OIII] - CIV : Outflows in the accretion disk - inner BLR
→ inhibition of NLR

- Correction of virial mass estimations

EW[OIII] : H β , H α , MgII, (CIV as well..) for the
orientation effects

[OIII] - CIV : CIV for the contaminating components