



Publication Year	2017
Acceptance in OA	2023-02-01T14:45:42Z
Title	JUNO/JIRAM Report jm0002
Authors	NOSCHESE, RAFFAELLA, CICHETTI, ANDREA, MURA, Alessandro, BROOKS, SHAWN
Handle	http://hdl.handle.net/20.500.12386/33104



Juno JIRAM

Report JM0002

Version 1.0

July 10, 2017

Prepared by:

R. Noschese, A. Cicchetti, A. Mura, S. Brooks

Approved by:

A. Adriani

	JUNO/JIRAM			
			Issue	1.0
			05/04/17	
			Page	2
			of	51

Table of Contents

1	INTRODUCTION	3
2	ACTIVITY DESCRIPTION	3
3	SCIENTIFIC GOALS	8
4	DATA COLLECTION OVERWIER	10
	A.1 Commanding file (sast).....	13

List of Figures

Figure 1:	<i>ntegrated spectrum ; pointing reconstruction with IO.....</i>	6
Figure 2:	<i>JUPITER spectral reconstruction for each bands</i>	7

List of Tables

Table 1:	<i>Scientific Goals.....</i>	10
Table 2:	<i>Data Overwier.....</i>	12

	JUNO/JIRAM		Issue	1.0	05/04/17	
			Page	3	of	51

1 INTRODUCTION


This document describes the activities that JIRAM performed during the activity period JM0002, with particular attention to the comparison with the expected data and that achieved, keeping track of the configuration of the instrument with commanding file (saf).



2 ACTIVITY DESCRIPTION



In this activity period have been performed the observations of the JUPITER moons: Ganymede, Europa and IO beyond those of JUPITER.

IO spectrum has been measured by JIRAM four times:

- Two along with JUPITER where IO is in the dayside of the JUPITER
- Two with EUROPA where IO is in the night side.










Figure 1: *ntegrated spectrum ; pointing reconstruction with IO.*




Figure 2: JUPITER spectral reconstruction for each bands

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	8	of 51

3 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operative mode and the scientific objectives. The files relating to the various science blocks are shown in the file “JIR_STATUS_EDR_2016213T082335_V01.CSV” in the INDEX directory.

JRM (sarf)	Operative Mode	Goals
JRM_004	CAL_I1_S1	CALIBRATION
JRM_005	SCI_I2_S1	GANYMEDE
JRM_006	SCI_I1_S0	GANYMEDE
JRM_010	SCI_I2_S1	GANYMEDE
JRM_011	SCI_I1_S0	GANYMEDE
JRM_012	CAL_I1_S1	CALIBRATION
JRM_018	SCI_I2_S1	JUPITER, IO
JRM_020	SCI_I1_S0	JUPITER, IO
JRM_024	SCI_I2_S1	JUPITER, IO
JRM_025	SCI_I1_S0	JUPITER, IO
JRM_026	CAL_I1_S1	CALIBRATION
JRM_032	CAL_I1_S1	CALIBRATION
JRM_033	SCI_I2_S1	EUROPA, IO
JRM_034	SCI_I1_S0	EUROPA, IO
JRM_038	SCI_I2_S1	EUROPA, IO
JRM_039	SCI_I1_S0	EUROPA, IO
JRM_040	CAL_I1_S1	CALIBRATION

	JUNO/JIRAM		Issue	1.0	05/04/17	
			Page	9	of	51

JRM_046	CAL_I1_S1	CALIBRATION
JRM_047	SCI_I1_S1	COMMISSIONING
JRM_048	SCI_I1_S1	COMMISSIONING
JRM_049	SCI_I1_S1	COMMISSIONING
JRM_050	SCI_I1_S1	COMMISSIONING
JRM_051	SCI_I1_S1	COMMISSIONING
JRM_052	SCI_I1_S1	COMMISSIONING
JRM_053	SCI_I1_S1	COMMISSIONING
JRM_054	SCI_I1_S1	COMMISSIONING
JRM_55	SCI_I2_S1	HOT SPOT
JRM_56	SCI_I2_S1	HOT SPOT
JRM_57	SCI_I2_S1	HOT SPOT
JRM_58	SCI_I2_S1	HOT SPOT
JRM_59	SCI_I2_S1	HOT SPOT
JRM_60	SCI_I2_S1	HOT SPOT
JRM_61	SCI_I2_S1	HOT SPOT
JRM_62	SCI_I2_S1	HOT SPOT
JRM_63	SCI_I2_S1	HOT SPOT
JRM_64	SCI_I2_S1	HOT SPOT
JRM_65	SCI_I2_S1	HOT SPOT
JRM_66	SCI_I2_S1	HOT SPOT
JRM_67	SCI_I2_S1	HOT SPOT

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	10	of 51

Table 1: Scientific Goals

4 DATA COLLECTION OVERWIER

Below is a table that give an overwier of the data collected during the activity period JM0002. The table describes, for each science block in the commanding file, the programmed operative modes, with the real collected data.

JRM (sast)	Operative Mode	Observations	Packets Retrived	Packets Exepected	Missing Observations SPE	Missing Observations IMG
JRM_004	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_005	SCI_I2_S1	190 IMG 190 SPE	1617	1710	124-125-126-127-128-134-135-188-189-190	124-124-126-127-133-134-135-187-188-189-190
JRM_006	SCI_I1_S0	40 IMG	234	240	N/A	40
JRM_010	SCI_I2_S1	190 IMG 190 SPE	1683	1710	187-188-189-190	187-188-189-190
JRM_011	SCI_I1_S0	40 IMG	234	240	N/A	40
JRM_012	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_018	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_019	SCI_I2_S1	190 IMG 190 SPE	1181 + SYNS_WORD	1710	187-188-189-190	187-188-189-190
JRM_020	SCI_I1_S0	40 IMG	240	240	0	0
JRM_024	SCI_I2_S1	190 IMG 190 SPE	1676	1710	187-188-189-190	187-188-189-190
JRM_025	SCI_I1_S0	40 IMG	240	240	0	0

	JUNO/JIRAM			
			Issue	1.0
			Page	11 of 51

JRM_026	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_032	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_033	SCI_I2_S1	190 IMG 190 SPE	1676	1710	187-188-189-190	187-188-189-190
JRM_034	SCI_I1_S0	40 IMG	240	240	0	0
JRM_038	SCI_I2_S1	190 IMG 190 SPE	1519	1710	30-32-52-59-60-83- 188-189-190	25-28-43-44-45-47- 54-57-71-72-76-79- 86-188-189-190
JRM_039	SCI_I1_S0	40 IMG	240	240	0	0
JRM_040	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_046	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
JRM_047	SCI_I1_S1	80 IMG 80 SPE	949	960	80	80
JRM_048	SCI_I1_S1	75 IMG 75 SPE	888	900	75	75
JRM_049	SCI_I1_S1	80 IMG 80 SPE	945	960	79-80	80
JRM_050	SCI_I1_S1	75 IMG 75 SPE	887	900	75	75
JRM_051	SCI_I1_S1	80 IMG 80 SPE	949	960	80	80
JRM_052	SCI_I1_S1	75 IMG 75 SPE	890	900	75	75

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	12	of 51

JRM_053	SCI_I1_S1	80 IMG 80 SPE	936	960	79-80	79-80
JRM_054	SCI_I1_S1	75 IMG 75 SPE	880	900	74-75	75
JRM_055	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_056	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_057	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_058	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_059	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_060	SCI_I2_S1	160 IMG 160 SPE	1413	1440	158-159-160	158-159-160
JRM_061	SCI_I2_S1	160 IMG 160 SPE	1409	1440	157-158-159-160	158-159-160
JRM_062	SCI_I2_S1	153 IMG 153 SPE	1350	1377	151-152-153	151-152-153
JRM_063	SCI_I2_S1	153 IMG 153 SPE	1350	1377	151-152-153	151-152-153
JRM_064	SCI_I2_S1	153 IMG 153 SPE	1350	1377	151-152-153	151-152-153
JRM_065	SCI_I2_S1	153 IMG 153 SPE	1359	1377	151-152-153	151-152-153
JRM_066	SCI_I2_S1	153 IMG 153 SPE	1350	1377	152-153	152-153
JRM_067	SCI_I2_S1	113 IMG 113 SPE	999	1017	112-113	112-113

Table 2: Data Overwier

	JUNO/JIRAM			
			Issue	1.0
			05/04/17	
			Page	13
			of	51

A.1 Commanding file (sasf)

```

CCSD3ZF0000100000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0002_JRMc.sasf;
APPLICABLE_START_TIME = 2016-211T00:00:00.000;
APPLICABLE_STOP_TIME = 2016-239T12:00:00.000;
PRODUCT_CREATION_TIME = 2016-182T13:35:35.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0002_JRMc;
HOST_ID = JRM_CMD_jm0002_V10.jrm;
CCSD3RE00000$$MARK$$NJPL3IF0M01300000001;
$$JNO      SPACECRAFT ACTIVITY SEQUENCE FILE
*****
*PROJECT      JNO
*SPACECRAFT   61
*OPERATOR     JRMTEAM
*FILE_CMPLT   TRUE
*DATE         Thu Jun 30 13:35:35 2016
*BEGIN        2016-211T00:00:00.000
*CUTOFF       2016-239T12:00:00.000
*TITLE        jm0002_JRMc
*EPOCHS_DEF
*jm0002_JRM,      2016-211T00:00:00.000
*EPOCHS_END
*Input files used:
*File Type   Last modified                File name
*****
$$EOH
$$EOD
request(JRM_Sequence_Management_Request,
        START_TIME,2016-211T00:00:00.000,
        TITLE, "JRM_MAINTENANCE",
        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")

activity(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        SEQTRAN_directive
        (VML_START,2001-001T00:00:00.000,2030-
001T00:00:00.000,"ABSLTE","jm0002_JRM","jm0002_JRM.abs","d:/seq")
        ),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	14	of 51

```

command(2,
    SCHEDULED_TIME,\00:00:30\,FROM_PREVIOUS_START,
    FILE_DELETE("d:/seq/jm0002_JRM.abs")
),
command(3,
    SCHEDULED_TIME,\028T11:59:58\,FROM_REQUEST_START,
    VM_LOAD(20,"d:/seq/jm0003_JRM.abs")
),
end;

request(JRM_001,
    START_TIME,2016-213T02:59:04.000,
    TITLE,"jm0002_JRM_Heater_Op",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_002,
    START_TIME,2016-213T08:20:04.000,
    TITLE,"jm0002_JRM-POWER_ON",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_003,
    START_TIME,2016-213T08:22:47.000,
    TITLE,"jm0002_JRM_StandBy",
    REQUESTOR,"JRMTEAM",
    PROCESSOR,"VC2",
    KEY,"No_Key")
command(1,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	15	of 51

```

        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_004,
    START_TIME,2016-213T08:22:59.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	16	of 51

```

request(JRM_005,
    START_TIME,2016-213T08:27:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
64,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Ganymede Spe\"\
),
end;

request(JRM_006,
    START_TIME,2016-213T10:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	17	of 51

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Img\"
    ),
end;

request(JRM_007,
    START_TIME,2016-213T11:54:19.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_008,
    START_TIME,2016-213T11:54:35.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_009,
    START_TIME,2016-213T11:57:18.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	18	of 51

```

PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(111,10)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STANDBY("ON","ON","ON")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW","POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"NaN\"
),
end;

request(JRM_010,
START_TIME,2016-213T11:57:30.000,
TITLE, "jm0002_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-64,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	19	of 51

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Spe\"\
    ),
end;

request(JRM_011,
    START_TIME,2016-213T14:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede Img\"\
    ),
end;

request(JRM_012,
    START_TIME,2016-213T14:28:29.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	20	of 51

```

        JRM_GET_PAR(6000)
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_013,
    START_TIME,2016-213T14:32:49.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_014,
    START_TIME,2016-213T14:33:05.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
    ),
    command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
    )

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	21	of 51

```

    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_015,
    START_TIME,2016-214T15:59:15.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_016,
    START_TIME,2016-214T21:20:15.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_017,
    START_TIME,2016-214T21:22:58.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	22	of 51

```

command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_018,
    START_TIME,2016-214T21:23:10.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_019,
    START_TIME,2016-214T21:27:30.000,
    TITLE, "jm0002_JRM_Science",

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	23	of 51

```

        REQUESTOR, "JRMTEAM",
        PROCESSOR, "VC2",
        KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2000)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,2,1000,5000,"LOW","LOW","POINT",-57343,1000,5000,"LOW","LOW","SPIN",-
191,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Jupiter Io Spe\"
),
end;

request(JRM_020,
    START_TIME,2016-214T23:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2000)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,1000,0,"LOW","LOW","POINT",-57343,1000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	24	of 51

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Jupiter Io Img\"
),
end;

request(JRM_021,
    START_TIME,2016-215T00:54:19.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_022,
    START_TIME,2016-215T00:54:35.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_023,
    START_TIME,2016-215T00:57:18.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	25	of 51

```

        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_024,
    START_TIME,2016-215T00:57:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2000)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,2,1000,5000,"LOW","LOW","POINT",-57343,1000,5000,"LOW","LOW","SPIN",-
191,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Jupiter Io Spe\"\\
    ),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	26	of 51

end;

```
request(JRM_025,
    START_TIME,2016-215T03:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2000)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,1000,0,"LOW","LOW","POINT",-57343,1000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Jupiter Io Img\"
),
end;
```

```
request(JRM_026,
    START_TIME,2016-215T03:28:29.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	27	of 51

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_027,
    START_TIME,2016-215T03:32:49.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_028,
    START_TIME,2016-215T03:33:05.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
    ),
    command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	28	of 51

```

        TEXT, \ "NaN" \
    ),
end;

request(JRM_029,
    START_TIME, 2016-215T15:59:15.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    THRM_SET_PT_SEL( "JIRAM_OH", "OPERATIONAL" )
),
command(2,
    SCHEDULED_TIME, \00:00:01\, FROM_PREVIOUS_START,
    THRM_SET_PT_SEL( "JIRAM_DECON", "OPERATIONAL" )
),
command(3,
    SCHEDULED_TIME, \03:10:00\, FROM_PREVIOUS_START,
    THRM_SET_PT_SEL( "JIRAM_ELECT_BP", "OPERATIONAL" )
),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \ "NaN" \
    ),
end;

request(JRM_030,
    START_TIME, 2016-215T21:20:15.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    REQ_ENGINE_ID, 21, RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \ "NaN" \
    ),
end;

request(JRM_031,
    START_TIME, 2016-215T21:22:58.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
    JRM_SET_PAR(111, 10)
),
command(2,
    SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
    JRM_STANDBY( "ON", "ON", "ON" )

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	29	of 51

```

),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"\\
),
end;

request(JRM_032,
    START_TIME,2016-215T21:23:10.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"\\
),
end;

request(JRM_033,
    START_TIME,2016-215T21:27:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

	JUNO/JIRAM		Issue	1.0	05/04/17	
			Page	30	of	51

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
96,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Europa Io Spe\"
),
end;

request(JRM_034,
    START_TIME,2016-215T23:07:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	31	of 51

```

    ),
    command(5,
        SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa Io Img\"\\
    ),
end;

request(JRM_035,
    START_TIME,2016-216T00:54:19.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,\"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_036,
    START_TIME,2016-216T00:54:35.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_037,
    START_TIME,2016-216T00:57:18.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
    ),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	32	of 51

```

command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
",0,956,2,150,"LOW","LOW","POINT",-
57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_038,
    START_TIME,2016-216T00:57:30.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",190,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
",0,1,5000,5000,"LOW","LOW","POINT",-57343,5000,5000,"LOW","LOW","SPIN",-
96,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:35:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa Io Spe\"\\
    ),
end;

request(JRM_039,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	33	of 51

```

START_TIME,2016-216T03:07:30.000,
TITLE, "jm0002_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,0)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",40,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
0,33,5000,0,"LOW","LOW","POINT",-57343,5000,0,"LOW","LOW","SPIN",-
637,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:20:39\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"Europa Io Img\"
),
end;

request(JRM_040,
  START_TIME,2016-216T03:28:29.000,
  TITLE, "jm0002_JRM_Calibration",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_GET_PAR(6000)
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	34	of 51

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"\\
),
end;

request(JRM_041,
    START_TIME,2016-216T03:32:49.000,
    TITLE, "jm0002_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"\\
),
end;

request(JRM_042,
    START_TIME,2016-216T03:33:05.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","NON_OPERATIONAL")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"\\
),
end;

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	35	of 51

```

request(JRM_043,
    START_TIME,2016-238T01:22:44.000,
    TITLE, "jm0002_JRM_Heater_Op",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
),
command(2,
    SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
),
command(3,
    SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
    THRM_SET_PT_SEL("JIRAM_ELECT_BP","OPERATIONAL")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_044,
    START_TIME,2016-238T06:43:44.000,
    TITLE, "jm0002_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_045,
    START_TIME,2016-238T06:46:27.000,
    TITLE, "jm0002_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	36	of 51

```

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW","POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_046,
    START_TIME,2016-238T06:46:39.000,
    TITLE, "jm0002_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
),
command(5,
    SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"
),
end;

request(JRM_047,
    START_TIME,2016-238T06:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	37	of 51

```

),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"\\
),
end;

request(JRM_048,
    START_TIME,2016-238T07:33:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	38	of 51

```

JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"
),
end;

request(JRM_049,
    START_TIME,2016-238T09:30:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"
),
end;

request(JRM_050,
    START_TIME,2016-238T10:13:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	39	of 51

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"\\
),
end;

request(JRM_051,
    START_TIME,2016-238T12:10:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()

```

	JUNO/JIRAM		Issue	1.0	05/04/17	
			Page	40	of	51

```

    ),
    command(5,
        SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Commissioning\"\\
    ),
end;

request(JRM_052,
    START_TIME,2016-238T12:53:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Commissioning\"\\
    ),
end;

request(JRM_053,
    START_TIME,2016-238T14:50:59.000,
    TITLE, "jm0002_JRM_Science",

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	41	of 51

```

    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",80,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
573,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:40:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"\\
),
end;

request(JRM_054,
    START_TIME,2016-238T15:33:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",75,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE"
,0,7,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
13,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	42	of 51

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:38:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Commissioning\"\\
),
end;

request(JRM_055,
    START_TIME,2016-238T16:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-452,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"\\
),
end;

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	43	of 51

```

request(JRM_056,
    START_TIME,2016-238T18:30:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
465,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

request(JRM_057,
    START_TIME,2016-238T20:10:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
480,"NO_SUMMED_SCI")
),
command(3,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	44	of 51

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_058,
    START_TIME,2016-238T21:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
495,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	45	of 51

```

    ),
end;

request(JRM_059,
    START_TIME,2016-238T23:30:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
512,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

request(JRM_060,
    START_TIME,2016-239T01:10:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,5,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	46	of 51

```

530,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

request(JRM_061,
    START_TIME,2016-239T02:50:59.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",160,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-550,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:20:39\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	47	of 51

```

        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"HS, mapping\"
        ),
    end;

request(JRM_062,
    START_TIME,2016-239T04:14:29.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",
    0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
    569,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_063,
    START_TIME,2016-239T05:34:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	48	of 51

```

JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
589,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"HS, mapping\"
),
end;

request(JRM_064,
    START_TIME,2016-239T06:54:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
610,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	49	of 51

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_065,
    START_TIME,2016-239T08:14:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-633,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"
    ),
end;

request(JRM_066,
    START_TIME,2016-239T09:34:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2470)

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	50	of 51

```

    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",153,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,6,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
652,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:17:09\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"HS, mapping\"\\
    ),
end;

request(JRM_067,
    START_TIME,2016-239T10:54:28.000,
    TITLE, "jm0002_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2470)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",113,1,30,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE
",0,10,60,5000,"LOW","LOW","POINT",-57343,60,5000,"LOW","LOW","SPIN",-
680,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:57:09\,FROM_PREVIOUS_START,

```

	JUNO/JIRAM		Issue	1.0	05/04/17
			Page	51	of 51

```

JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"HS, mapping\"
),
end;

request(JRM_068,
  START_TIME,2016-239T11:51:57.000,
  TITLE, "jm0002_JRM-POWER_OFF",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),

note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"NaN\"
),
end;

$$EOF

```