



Publication Year	2019
Acceptance in OA	2021-01-12T14:41:22Z
Title	Erratum: Post-adiabatic supernova remnants in an interstellar magnetic field: oblique shocks and non-uniform environment
Authors	Petruk, O., Kuzyo, T., ORLANDO, Salvatore, Pohl, M., Miceli, M., BOCCHINO, Fabrizio, Beshley, V., Brose, R.
Publisher's version (DOI)	10.1093/mnras/sty2861
Handle	http://hdl.handle.net/20.500.12386/29704
Journal	MONTHLY NOTICES OF THE ROYAL ASTRONOMICAL SOCIETY
Volume	482



Erratum: Post-adiabatic supernova remnants in an interstellar magnetic field: oblique shocks and non-uniform environment

by O. Petruk^{1,2,★}, T. Kuzyo,¹ S. Orlando,³ M. Pohl,^{4,5} M. Miceli,^{3,6} F. Bocchino,³ V. Beshley¹ and R. Brose^{4,5}

¹Institute for Applied Problems in Mechanics and Mathematics, Naukova 3-b, UA-79060 Lviv, Ukraine

²Astronomical Observatory of the Jagiellonian University, Orla 171, PL-30-244 Kraków, Poland

³INAF – Osservatorio Astronomico, Piazza del Parlamento 1, I-90134 Palermo, Italy

⁴Universität Potsdam, Institut für Physik und Astronomie, Karl-Liebknecht-Strasse 24/25, D-14476 Potsdam, Germany

⁵DESY, Platanenallee 6, D-15738 Zeuthen, Germany

⁶Dipartimento di Fisica e Chimica, Università di Palermo, Piazza del Parlamento 1, I-90134 Palermo, Italy

Key words: errata – addenda – shock waves – ISM: magnetic fields – ISM: supernova remnants.

This is a correction notice for ‘Post-adiabatic supernova remnants in an interstellar magnetic field: oblique shocks and non-uniform environment’ (DOI: <https://doi.org/10.1093/mnras/sty1750>), which was published in *MNRAS* 479, 4253–4270 (2018). The publisher regrets to inform that the colour was missing from the colour scales in Figs 8(a)–(d) and Figs 9(a) and (b). This has now been corrected online. The publisher apologizes for this error.




Figure 8. The angular variations of the number density (a), β (b), radial (c), and tangential (d) MF components for 15 000 yr (left half of each panel) and 45 000 yr (right half of each panel). Ambient MF of the strength $B_0 = 10 \mu\text{G}$ is directed along the horizontal axis. (The internal parts were made white on these plots for purpose, in order to emphasize by the colour-scale the structures near the shock.).

* E-mail: oleh.petruk@gmail.com




Figure 9. The same as on Fig. 8 for 53 000 and 70 000 yr. White line on the plot (c) marks the shock location.