



Publication Year	2018
Acceptance in OA	2023-02-07T15:02:36Z
Title	Juno JIRAM Report jm0111
Authors	NOSCHESE, RAFFAELLA, CICHETTI, ANDREA, SORDINI, Roberto, BECKER, HEIDI, MURA, Alessandro, BROOKS, SHAWN
Handle	http://hdl.handle.net/20.500.12386/33215

Juno JIRAM

Report JM0111

JIR-IAPS-SY-011-2018
Version 1.0

September 01, 2018

Prepared by:

R. Noschese, A. Cicchetti, R. Sordini, H. N. Becker, A. Mura, S. Brooks

Approved by:

A. Adriani

		JIR-IAPS-SY-011-2018			
		Issue	1.0	01/09/18	
	JUNO/JIRAM	Page	2	of	52

Table of Contents

1	INTRODUCTION.....	3
2	REFERENCES.....	3
3	ACTIVITY DESCRIPTION.....	3
4	RADIATIONS ACQUISITION.....	5
5	SCIENTIFIC GOALS	5
6	DATA COLLECTION OVERWIER	7
	A.1 Commanding file (saf)	9

List of Figures

Figure 1: <i>South Aurora</i>.....	4
Figure 2 <i>South Vortex</i>.....	4
Figure 3: <i>Coverage Nadir</i>.....	5

List of Tables

<i>Table 1: Scientific Goals</i>.....	6
<i>Table 2: Data Overwier</i>.....	8

			JIR-IAPS-SY-011-2018		
			Issue	1.0	01/09/18
	JUNO/JIRAM		Page	3	of 52

1 INTRODUCTION

This document describes the activities that JIRAM performed during the activity period JM0111 (PJ11), with particular attention to the comparison with the expected data and that achieved, keeping track of the configuration of the instrument with commanding file (SASF).

2 REFERENCES

- a) Adriani A., G. Filacchione, T. Di Iorio, D. Turrini, R. Noschese, A. Cicchetti, D. Grassi, A. Mura, G. Sindoni, M. Zambelli, G. Piccioni, M.T. Capria, F. Tosi, R. Orosei, B.M. Dinelli, M.L. Moriconi, E. Roncon, J.I. Lunine, H.N. Becker, A. Bini, A. Barbis, L. Calamai, C. Pasqui, S. Nencioni, M. Rossi, M. Lastrì, R. Formaro, A. Olivieri (2014), JIRAM, the Jovian Infrared Auroral Mapper. Space Sci. Rev., DOI 10.1007/s11214-014-0094-y.
- b) Adriani A., M.L. Moriconi, A. Mura, F. Tosi, G. Sindoni, R. Noschese, A. Cicchetti, G. Filacchione (2016), Juno's Earth flyby: the Jovian infrared Auroral Mapper preliminary results, Astrophys Space Sci, DOI 10.1007/s10509-016-2842-9.
- c) Becker, H.N., J.W. Alexander, A. Adriani, A. Mura, A. Cicchetti, R. Noschese, J.L. Jørgensen, T. Denver, J. Sushkova, A. Jørgensen, M. Benn, J.E.P. Connerney, S.J. Bolton, the Selex Galileo Juno SRU Team, J. Allison, S. Watts, V. Adumitroaie, E.A. Manor-Chapman, I.J. Daubar, C. Lee, S. Kang, W.J. McAlpine, T. Di Iorio, C. Pasqui, A. Barbis, P. Lawton, L. Spalsbury, S. Loftin, and J. Sun (2017), The Juno Radiation Monitoring (RM) Investigation, Space Sci Rev, doi: 10.1007/s11214-017-0345-9.

3 ACTIVITY DESCRIPTION

During PJ11 pass, JIRAM could have the coverage of the South Aurora (see Fig. 1). Note that in correspondance of each imager's pictures there is a spectral observation. Details about imager/spectrometer coupling and, more in general, about the instrument and its performances can be found in Adriani et al., 2014 and 2016. Moreover, observations of the Jupiter's moons IO , Ganymede and Europa have also been done (not reported in the figures). During this PJ , JIRAM performed dedicated radiation and calibration observations.




Figure 1: *South Aurora.*




Figure 2 *South Vortex.*




Figure 3: Coverage Nadir

4 RADIATIONS ACQUISITION

Radiation sequences were collected in locations of low particle flux in order to update the mapping of good pixel locations to be used in subsequent radiation data processing. Radiation sequences targeting observations of the radiation environment were performed in the middle magnetosphere and the southern polar region.

5 SCIENTIFIC GOALS

Below is a table that describes for each science block in the commanding file the relative operative mode and the scientific objectives. The files relating to the various science blocks are shown in the file “JIR_STATUS_EDR_2018037T221930_V01.CSV” in the INDEX directory.

JRM (sarf)	Operative Mode	Goals
JRM_004	CAL_I1_S1	INTERNAL CALIBRATION
FROM JRM_005 TO JRM_021	SCI_I1_S0	RADIATION
JRM_022	SCI_I2_S1	IO
JRM_023	SCI_I2_S1	IO
JRM_024	SCI_I2_S1	IO

JRM_026	SCI_I1_S0	RADIATION
JRM_027	SCI_I2_S1	NADIR LIMB
JRM_028	SCI_I3_S1	IO FOOTPRINT North
JRM_029	SCI_I3_S1	IO FOOTPRINT North
JRM_030	SCI_I2_S1	NADIR
JRM_031	SCI_I3_S1	AURORA SOUTH
JRM_032	SCI_I2_S1	SOUTH POLE
JRM_033	SCI_I2_S1	SOUTH POLE
JRM_034	SCI_I2_S1	SOUTH POLE
JRM_035	SCI_I2_S1	SOUTH POLE
JRM_036	SCI_I3_S1	AURORA SOUTH
JRM_037	SCI_I3_S1	AURORA SOUTH
JRM_038	SCI_I3_S1	AURORA SOUTH
JRM_039	SCI_I3_S1	AURORA SOUTH
JRM_040	SCI_I2_S1	NORTH LIMB
JRM_042- JRM_043	SCI_I1_S0	RADIATION
JRM_047	SCI_I1_S1	GANYMEDE
JRM_048	SCI_I1_S1	GANYMEDE
JRM_049	SCI_I1_S1	GANYMEDE
JRM_050	SCI_I1_S1	GANYMEDE
JRM_051	SCI_I1_S1	GANYMEDE
JRM_052	SCI_I1_S1	GANYMEDE
JRM_053	SCI_I1_S1	GANYMEDE
JRM_054	SCI_I1_S1	GANYMEDE
JRM_058	SCI_I1_S1	EUROPA
JRM_059	SCI_I1_S1	EUROPA
JRM_060	SCI_I1_S1	EUROPA
JRM_061	SCI_I1_S1	EUROPA
JRM_062	SCI_I1_S1	EUROPA
JRM_063	SCI_I1_S1	EUROPA
JRM_064	SCI_I1_S1	EUROPA
JRM_065	SCI_I1_S1	EUROPA
JRM_066	SCI_I1_S1	EUROPA
JRM_067	CAL_I1_S1	INTERNAL CALIBRATION

Table 1: Scientific Goals

6 DATA COLLECTION OVERWIER

Below a table that give an overwier of the data collected during the activity period JM0111. The table describes, for each science block in the commanding file, the programmed operative modes, with the real collected data.

JRM (saf)	Operative Mode	Observations	Packets Retrived	Packets Exepected	Missing Observations SPE	Missing Observations IMG
JRM_004	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0
FROM JRM_005 TO JRM_021	SCI_I1_S0	54 IMG	324	324	N/A	0
JRM_022	SCI_I2_S1	20 IMG 20 SPE	657	657	0	0
JRM_023	SCI_I2_S1	17 IMG 17 SPE	18	18	N/A	0
JRM_024	SCI_I2_S1	17 IMG 17 SPE	657	657	0	0
JRM_026	SCI_I1_S0	3 IMG	18	18	N/A	0
JRM_027	SCI_I2_S1	85 IMG 85 SPE	1020	1020	0	0
JRM_028	SCI_I3_S1	45 IMG 45 SPE	405	405	0	0
JRM_029	SCI_I3_S1	6 IMG 6 SPE	54	54	0	0
JRM_030	SCI_I2_S1	172 IMG 172 SPE	1548	1548	0	0
JRM_031	SCI_I3_S1	22 IMG 22 SPE	198	198	0	0
JRM_032	SCI_I2_S1	2 IMG 2 SPE	18	18	0	0
JRM_033	SCI_I2_S1	6 IMG 6 SPE	54	54	0	0
JRM_034	SCI_I2_S1	6 IMG 6 SPE	54	54	0	0
JRM_035	SCI_I2_S1	5 IMG 5 SPE	45	45	0	0
JRM_036	SCI_I3_S1	24 IMG 24 SPE	216	216	0	0
JRM_037	SCI_I3_S1	22 IMG 22 SPE	198	198	0	0
JRM_038	SCI_I3_S1	12 IMG 12 SPE	108	108	0	0
JRM_039	SCI_I3_S1	7 IMG 7 SPE	63	63	0	0
JRM_040	SCI_I2_S1	125 IMG 125 SPE	1125	1125	0	0
JRM_042 - JRM_043	SCI_I1_S0	6 IMG	36	36	N/A	0

JRM_047	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_048	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_049	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_050	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_051	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_052	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_053	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_054	SCI_I1_S1	13 IMG 13 SPE	156	156	0	0
JRM_058	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_059	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_060	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_061	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_062	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_063	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_064	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_065	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_066	SCI_I1_S1	17 IMG 17 SPE	204	204	0	0
JRM_067	CAL_I1_S1	6 IMG 6 SPE	72	72	0	0

Table 2: Data Overwier

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	9 of 52

A.1 Commanding file (sasf)

```

CCSD3ZF0000100000001NJPL3KS0L015$$MARK$$;
MISSION_NAME = JUNO;
SPACECRAFT_NAME = JUNO;
DATA_SET_ID = SPACECRAFT_ACTIVITY_SEQUENCE_JRM;
FILE_NAME = jm0111_JRMb.sasf;
APPLICABLE_START_TIME = 2018-037T13:00:00.000;
APPLICABLE_STOP_TIME = 2018-063T23:00:00.000;
PRODUCT_CREATION_TIME = 2018-011T08:50:50.000;
PRODUCER_ID = JRMTEAM;
SEQ_ID = jm0111_JRMb;
HOST_ID = JRM_CMD_111_111_V02.jrm;
CCSD3RE000000$$MARK$$NJPL3IF0M01300000001;
$$JNO      SPACECRAFT ACTIVITY SEQUENCE FILE
*****
*PROJECT      JNO
*SPACECRAFT   61
*OPERATOR     JRMTEAM
*FILE_CMPLT   TRUE
*DATE         Thu Jan 11 08:50:50 2018
*BEGIN        2018-037T13:00:00.000
*CUTOFF       2018-063T23:00:00.000
*TITLE        jm0111_JRMb
*EPOCHS_DEF
*jm0111_JRM,      2018-037T13:00:00.000
*EPOCHS_END
*Input files used:
*File Type   Last modified           File name
*PACKETS_NUMBER 9261
*****
$$EOH
$$EOD
request(JRM_Sequence_Management_Request,
        START_TIME,2018-037T13:00:00.000,
        TITLE,"JRM_MAINTENANCE",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")

activity(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        SEQTRAN_directive
        (VML_START,2001-001T00:00:00.000,2030-
001T00:00:00.000,"ABSLTE","jm0111_JRM","jm0111_JRM.abs","d:/seq")
        ),
        command(2,
        SCHEDULED_TIME,\00:00:30\,FROM_PREVIOUS_START,
        FILE_DELETE("d:/seq/jm0111_JRM.abs")
        ),
        command(3,
        SCHEDULED_TIME,\026T09:59:58\,FROM_REQUEST_START,
        VM_LOAD(20,"d:/seq/jm0112_JRM.abs")
        ),
        end;

request(JRM_001,
        START_TIME,2018-037T16:55:04.000,
        TITLE,"jm0111_JRM_Heater_Op",
        REQUESTOR,"JRMTEAM",
        PROCESSOR,"VC2",
        KEY,"No_Key")
        command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	10 of 52

```

        THRM_SET_PT_SEL("JIRAM_OH","OPERATIONAL")
    ),
    command(2,
        SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_DECON","OPERATIONAL")
    ),
    command(3,
        SCHEDULED_TIME,\03:10:00\,FROM_PREVIOUS_START,
        THRM_SET_PT_SEL("JIRAM_ELECT_BF","OPERATIONAL")
    ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"NaN\"\\
        ),
end;

request(JRM_002,
    START_TIME,2018-037T22:16:04.000,
    TITLE, "jm0111_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
    ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"NaN\"\\
        ),
end;

request(JRM_003,
    START_TIME,2018-037T22:18:47.000,
    TITLE, "jm0111_JRM StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,2)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I2_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
        "POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"NaN\"\\
        ),
end;

request(JRM_004,
    START_TIME,2018-037T22:18:59.000,
    TITLE, "jm0111_JRM Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(3,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	11 of 52

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_005,
    START_TIME,2018-037T22:28:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	12 of 52

```

command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_001_GoodPxMap_2018-037T22:28:15.000\"\\
),
end;

request(JRM_006,
    START_TIME,2018-037T22:33:15.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
)

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	13 of 52

```

    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_002_GoodPxMap_2018-037T22:33:15.000\"\\
    ),
end;

request(JRM_007,
    START_TIME,2018-037T22:38:15.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\",
        ,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\",
        ,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\",
        ,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	14 of 52

```

        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_003_GoodPxMap_2018-037T22:38:15.000\"
    ),
end;

request(JRM_008,
    START_TIME,2018-037T22:43:15.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
    ),
    command(10,

```

			JIR-IAPS-SY-011-2018		
			Issue	1.0	01/09/18
	JUNO/JIRAM		Page	15	of 52

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_004_GoodPxMap_2018-037T22:43:15.000\"\\
    ),
end;

request(JRM_009,
    START_TIME,2018-037T22:48:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),

```

			JIR-IAPS-SY-011-2018		
			Issue	1.0	01/09/18
	JUNO/JIRAM		Page	16	of 52

```

command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_005_GoodPxMap_2018-037T22:48:15.000\"\\
),
end;

request(JRM_010,
    START_TIME,2018-037T22:53:15.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S0\",1,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"RN\",\"DISABLE\",0,0,0,0,\"LOW\",\"LOW\",\"POINT\"
,28991,5000,5000,\"LOW\",\"LOW\",\"POINT\",-57025,\"NO_SUMMED_SCI\")

```

			JIR-IAPS-SY-011-2018		
			Issue	1.0	01/09/18
	JUNO/JIRAM		Page	17	of 52

```

    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_006_GoodPxMap_2018-037T22:53:15.000\"\\
    ),
end;

request(JRM_011,
    START_TIME,2018-037T22:58:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"

```

			JIR-IAPS-SY-011-2018		
			Issue	1.0	01/09/18
	JUNO/JIRAM		Page	18	of 52

```
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_007_GoodPxMap_2018-037T22:58:15.000\"
),
end;

request(JRM_012,
    START_TIME,2018-038T00:28:15.000,
    TITLE,\"jm0111 JRM Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	19 of 52

```

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_008_DarkFrame_2018-038T00:28:15.000\"\\
),
end;

request(JRM_013,
    START_TIME,2018-038T03:28:15.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	20 of 52

```

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_009_Approach_2018-038T03:28:15.000\"\\
),
end;

request(JRM_014,
    START_TIME,2018-038T04:28:15.000,
    TITLE, "jm0111 JRM Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	21 of 52

```

SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(11,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(12,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
command(13,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SET_PAR(92,8174)
),
command(14,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Radiation_Sequence_11_010_Approach_2018-038T04:28:15.000\"\\
),
end;

request(JRM_015,
START_TIME,2018-038T05:28:15.000,
TITLE, "jm0111_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")

command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(92,153)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(5,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(6,
SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_GET_PAR(6000)
),
command(8,
SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	22 of 52

```

command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_011_Approach_2018-038T05:28:15.000\"
),
end;

request(JRM_016,
    START_TIME,2018-038T08:28:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	23 of 52

```

    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_012_DarkFrame_2018-038T08:28:15.000\"\\
    ),
end;

request(JRM_017,
    START_TIME,2018-038T08:33:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	24 of 52

```

        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_013_DarkFrame_2018-038T08:33:15.000\"\\
    ),
end;

request(JRM_018,
    START_TIME,2018-038T08:58:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(8,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	25 of 52

```

        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_014_ApproachNAO_2018-038T08:58:15.000\"\\
    ),
end;

request(JRM_019,
    START_TIME,2018-038T09:58:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(92,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(5,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(6,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(7,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	26 of 52

```

command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_015_Approach_2018-038T09:58:15.000\"\\
),
end;

request(JRM_020,
    START_TIME,2018-038T10:28:15.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	27 of 52

```

    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_016_Approach_2018-038T10:28:15.000\"
    ),
end;

request(JRM_021,
    START_TIME,2018-038T10:58:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018		
			Issue	1.0	01/09/18
	JUNO/JIRAM		Page	28	of 52

```

        JRM_GET_PAR(6000)
    ),
    command(8,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(9,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
    ),
    command(10,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_017_Approach_2018-038T10:58:15.000\"\\
    ),
end;

request(JRM_022,
    START_TIME,2018-038T11:21:10.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1875)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",20,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,31,1250,5000,"LOW","LO
W","POINT",-57343,1250,5000,"LOW","LOW","SPIN",12356,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:11:00\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"\\

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	29 of 52

```

    ),
end;

request(JRM_023,
    START_TIME,2018-038T11:32:41.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1875)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,39,1250,5000,"LOW","LOW",
W","POINT",-57343,1250,5000,"LOW","LOW","SPIN",12833,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Io\"
    ),
end;

request(JRM_024,
    START_TIME,2018-038T11:42:42.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,1875)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,42,1250,5000,"LOW","LOW",
W","POINT",-57343,1250,5000,"LOW","LOW","SPIN",13358,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
end;

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	30 of 52

```

        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"Io\"
        ),
    end;

request(JRM_025,
    START_TIME,2018-038T11:52:29.000,
    TITLE, "jm0111_Technical_Block",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Imager Delay Set to Zero\"
    ),
end;

request(JRM_026,
    START_TIME,2018-038T11:58:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT",
    ,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
)

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	31 of 52

```

    ),
    command(11,
        SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(12,
        SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(13,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SET_PAR(92,8174)
    ),
    command(14,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Radiation_Sequence_11_019_Approach_2018-038T11:58:15.000\"\\
    ),
end;

request(JRM_027,
    START_TIME,2018-038T12:23:45.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2475)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",85,1,43,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,0,50,5000,"LOW","LOW"
,"POINT",-57343,50,5000,"LOW","LOW","SPIN",-116,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:44:34\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Nadir Limb\"\\
    ),
end;

request(JRM_028,
    START_TIME,2018-038T13:08:48.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	32 of 52

```

JRM_SCI_PAR("SCI_I3_S1",45,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,149,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",7054,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:23:56\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Io FP North\"
),
end;

request(JRM_029,
START_TIME,2018-038T13:33:19.000,
TITLE, "jm0111_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,0)
),
command(2,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,759,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",12912,"NO_SUMMED_SCI")
),
command(3,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_START_HS_REC()
),
command(4,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCIENCE()
),
command(5,
SCHEDULED_TIME,\00:03:47\,FROM_PREVIOUS_START,
JRM_ERROR_LOG()
),
command(6,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_STOP_HS_REC()
),
note(1,
SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
TEXT,\"Io FP North\"
),
end;

request(JRM_030,
START_TIME,2018-038T13:40:19.000,
TITLE, "jm0111_JRM_Science",
REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
JRM_SET_PAR(74,2475)

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	33 of 52

```

    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",172,1,43,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,0,50,5000,"LOW","LOW",
"POINT",-57343,50,5000,"LOW","LOW","SPIN",-262,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\01:29:31\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Nadir PJ\"\\
    ),
end;

request(JRM_031,
    START_TIME,2018-038T15:10:16.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,2000)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",22,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,215,1000,5000,"LOW","LOW",
"POINT",-57343,1000,5000,"LOW","LOW","SPIN",-1202,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:12:03\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Aurora South 200ms\"\\
    ),
end;

request(JRM_032,
    START_TIME,2018-038T15:22:47.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	34 of 52

```

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2475)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",2,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,2164,50,5000,"LOW","LOW",
", "POINT",-57343,50,5000,"LOW","LOW","SPIN",-1496,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:01:42\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"South Pole\"
),
end;

request(JRM_033,
    START_TIME,2018-038T15:25:18.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2475)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,545,50,5000,"LOW","LOW",
", "POINT",-57343,50,5000,"LOW","LOW","SPIN",-2021,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:03:46\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"South Pole\"
),
end;

request(JRM_034,
    START_TIME,2018-038T15:29:48.000,
    TITLE, "jm0111_JRM_Science",

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	35 of 52

```

REQUESTOR, "JRMTEAM",
PROCESSOR, "VC2",
KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2475)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",6,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,548,50,5000,"LOW","LOW",
,"POINT",-57343,50,5000,"LOW","LOW","SPIN",-2223,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:46\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"South Pole\"\\
),
end;

request(JRM_035,
  START_TIME,2018-038T15:34:18.000,
  TITLE, "jm0111_JRM_Science",
  REQUESTOR, "JRMTEAM",
  PROCESSOR, "VC2",
  KEY, "No_Key")
command(1,
  SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
  JRM_SET_PAR(74,2475)
),
command(2,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I2_S1",5,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,551,50,5000,"LOW","LOW",
,"POINT",-57343,50,5000,"LOW","LOW","SPIN",-2230,"NO_SUMMED_SCI")
),
command(3,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_START_HS_REC()
),
command(4,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_SCIENCE()
),
command(5,
  SCHEDULED_TIME,\00:03:15\,FROM_PREVIOUS_START,
  JRM_ERROR_LOG()
),
command(6,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  JRM_STOP_HS_REC()
),
note(1,
  SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
  TEXT,\"South Pole\"\\
),
end;

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	36 of 52

```

request(JRM_036,
    START_TIME,2018-038T15:38:19.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",24,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,248,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-3446,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:13:05\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"S. Aurora\"
),
end;

request(JRM_037,
    START_TIME,2018-038T15:51:50.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",22,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,224,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-3113,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:12:03\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"S. Aurora\"

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	37 of 52

```

    ),
end;

request(JRM_038,
    START_TIME,2018-038T16:04:21.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",12,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,225,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-2179,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:06:52\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"S. Aurora\"
),
end;

request(JRM_039,
    START_TIME,2018-038T16:11:52.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I3_S1",7,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,0,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",-49,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:04:16\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	38 of 52

```

        note(1,
            SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
            TEXT,\"S. Aurora\"\\
        ),
    end;

request(JRM_040,
    START_TIME,2018-038T16:18:53.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,2475)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I2_S1",125,1,42,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,0,50,5000,"LOW","LOW",
", "POINT",-57343,50,5000,"LOW","LOW","SPIN",-42,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\01:05:14\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Nadir Limb\"\\
    ),
end;

request(JRM_041,
    START_TIME,2018-038T17:24:27.000,
    TITLE, "jm0111_Technical_Block",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Imager Delay Set to Zero\"\\
    ),
end;

request(JRM_042,
    START_TIME,2018-038T17:30:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	39 of 52

```

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSL","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_030_PolarRegion_2018-038T17:30:15.000\"\\
),
end;

request(JRM_043,
    START_TIME,2018-038T17:35:15.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(92,153)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	40 of 52

```

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSI","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(5,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(6,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSI","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(7,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(8,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(9,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S0",1,1,0,"IDIS_SDIS","HSSI","ENABLE","RN","DISABLE",0,0,0,0,"LOW","LOW","POINT"
,28991,5000,5000,"LOW","LOW","POINT",-57025,"NO_SUMMED_SCI")
),
command(10,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_GET_PAR(6000)
),
command(11,
    SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(12,
    SCHEDULED_TIME,\00:01:12\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
command(13,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SET_PAR(92,8174)
),
command(14,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Radiation_Sequence_11_031_PolarRegion_2018-038T17:35:15.000\"\\
),
end;

request(JRM_044,
    START_TIME,2018-038T17:39:29.000,
    TITLE, "jm0111_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")

command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
note(1,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	41 of 52

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_045,
    START_TIME,2018-038T22:20:05.000,
    TITLE, "jm0111_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
spawn(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"NaN\"\\
),
end;

request(JRM_046,
    START_TIME,2018-038T22:22:48.000,
    TITLE, "jm0111_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(111,10)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STANDBY("ON","ON","ON")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
"POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_047,
    START_TIME,2018-038T22:23:00.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,15,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",25700,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	42 of 52

```

        JRM_ERROR_LOG ()
    ),
    command (6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note (1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \ "Ganymede" \
    ),
end;

request (JRM_048,
    START_TIME, 2018-038T22:33:01.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command (1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR (74, 0)
    ),
    command (2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,

JRM_SCI_PAR ("SCI_I1_S1", 17, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 15, 5000, 5000, "LOW", "LOW", "POINT", -57343, 5000, 5000, "LOW", "LOW", "SPIN", 25617, "NO_SUMMED_SCI")
    ),
    command (3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command (4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    ),
    command (5,
        SCHEDULED_TIME, \00:09:27\, FROM_PREVIOUS_START,
        JRM_ERROR_LOG ()
    ),
    command (6,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_STOP_HS_REC ()
    ),
    note (1,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        TEXT, \ "Ganymede" \
    ),
end;

request (JRM_049,
    START_TIME, 2018-038T22:43:02.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command (1,
        SCHEDULED_TIME, \00:00:00\, FROM_REQUEST_START,
        JRM_SET_PAR (74, 0)
    ),
    command (2,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,

JRM_SCI_PAR ("SCI_I1_S1", 17, 1, 0, "IDIS_SDIS", "HSSL", "ENABLE", "DARK", "DISABLE", 0, 15, 5000, 5000, "LOW", "LOW", "POINT", -57343, 5000, 5000, "LOW", "LOW", "SPIN", 25533, "NO_SUMMED_SCI")
    ),
    command (3,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_START_HS_REC ()
    ),
    command (4,
        SCHEDULED_TIME, \00:00:04\, FROM_PREVIOUS_START,
        JRM_SCIENCE ()
    )

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	43 of 52

```

    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede\"
    ),
end;

request(JRM_050,
    START_TIME,2018-038T22:53:03.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,15,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",25451,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede\"
    ),
end;

request(JRM_051,
    START_TIME,2018-038T23:03:04.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,15,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",25367,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	44 of 52

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Ganymede\"\\
),
end;

request(JRM_052,
    START_TIME,2018-038T23:13:05.000,
    TITLE, \"jm0111_JRM_Science\",
    REQUESTOR, \"JRMTEAM\",
    PROCESSOR, \"VC2\",
    KEY, \"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",17,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,15,5000,5000,\"LOW\",\"LOW\",
\"POINT\",-57343,5000,5000,\"LOW\",\"LOW\",\"SPIN\",25284,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Ganymede\"\\
),
end;

request(JRM_053,
    START_TIME,2018-038T23:23:06.000,
    TITLE, \"jm0111_JRM_Science\",
    REQUESTOR, \"JRMTEAM\",
    PROCESSOR, \"VC2\",
    KEY, \"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR(\"SCI_I1_S1\",17,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,15,5000,5000,\"LOW\",\"LOW\",
\"POINT\",-57343,5000,5000,\"LOW\",\"LOW\",\"SPIN\",25200,\"NO_SUMMED_SCI\")
),
command(3,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	45 of 52

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede\"\\
    ),
end;

request(JRM_054,
    START_TIME,2018-038T23:33:07.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",13,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,19,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",25135,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:07:23\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Ganymede\"\\
    ),
end;

request(JRM_055,
    START_TIME,2018-038T23:40:50.000,
    TITLE, "jm0111_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    VM_LOAD(21,"d:/seq/hlfp_spm_safe_jiram.mod")
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	46 of 52

```

end;

request(JRM_056,
    START_TIME,2018-039T05:19:49.000,
    TITLE, "jm0111_JRM-POWER_ON",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    spawn(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        REQ_ENGINE_ID,21,RT_on_board_block(jiram_pwr_on)
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_057,
    START_TIME,2018-039T05:22:32.000,
    TITLE, "jm0111_JRM_StandBy",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(111,10)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STANDBY("ON","ON","ON")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S3",120,1,10,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,956,2,150,"LOW","LOW",
        "POINT",-57343,2,150,"LOW","LOW","SPIN",0,"NO_SUMMED_SCI")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"\\
    ),
end;

request(JRM_058,
    START_TIME,2018-039T05:22:44.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",4527,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	47 of 52

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"
    ),
end;

request(JRM_059,
    START_TIME,2018-039T05:32:45.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",4650,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"
    ),
end;

request(JRM_060,
    START_TIME,2018-039T05:42:46.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,

JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW",
"POINT",-57343,5000,5000,"LOW","LOW","SPIN",4772,"NO_SUMMED_SCI")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	48 of 52

```

        JRM_ERROR_LOG ()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"\\
    ),
end;

request(JRM_061,
    START_TIME,2018-039T05:52:47.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW
","POINT",-57343,5000,5000,"LOW","LOW","SPIN",4891,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"\\
    ),
end;

request(JRM_062,
    START_TIME,2018-039T06:02:48.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW
","POINT",-57343,5000,5000,"LOW","LOW","SPIN",5010,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	49 of 52

```

    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"
    ),
end;

request(JRM_063,
    START_TIME,2018-039T06:12:49.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",5126,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"
    ),
end;

request(JRM_064,
    START_TIME,2018-039T06:22:50.000,
    TITLE, "jm0111_JRM_Science",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_SET_PAR(74,0)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCI_PAR("SCI_I1_S1",17,1,0,"IDIS_SDIS","HSSL","ENABLE","DARK","DISABLE",0,7,5000,5000,"LOW","LOW",
        "POINT",-57343,5000,5000,"LOW","LOW","SPIN",5241,"NO_SUMMED_SCI")
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	50 of 52

```

command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Europa\"\\
),
end;

request(JRM_065,
    START_TIME,2018-039T06:32:52.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR(\"SCI_I1_S1\",17,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,7,5000,5000,\"LOW\",\"LOW
\",\"POINT\",-57343,5000,5000,\"LOW\",\"LOW\",\"SPIN\",5353,\"NO_SUMMED_SCI\")
),
command(3,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_START_HS_REC()
),
command(4,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_SCIENCE()
),
command(5,
    SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
    JRM_ERROR_LOG()
),
command(6,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    JRM_STOP_HS_REC()
),
note(1,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
    TEXT,\"Europa\"\\
),
end;

request(JRM_066,
    START_TIME,2018-039T06:42:53.000,
    TITLE,\"jm0111_JRM_Science\",
    REQUESTOR,\"JRMTEAM\",
    PROCESSOR,\"VC2\",
    KEY,\"No_Key\")
command(1,
    SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
    JRM_SET_PAR(74,0)
),
command(2,
    SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
JRM_SCI_PAR(\"SCI_I1_S1\",17,1,0,\"IDIS_SDIS\",\"HSSL\",\"ENABLE\",\"DARK\",\"DISABLE\",0,7,5000,5000,\"LOW\",\"LOW
\",\"POINT\",-57343,5000,5000,\"LOW\",\"LOW\",\"SPIN\",5464,\"NO_SUMMED_SCI\")
),
command(3,

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	51 of 52

```

        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_SCIENCE()
    ),
    command(5,
        SCHEDULED_TIME,\00:09:27\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"Europa\"
    ),
end;

request(JRM_067,
    START_TIME,2018-039T06:52:40.000,
    TITLE, "jm0111_JRM_Calibration",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        JRM_CAL_PAR(8,14,8,14,30,700,30,700,30,700,30,700,200,200,153,153)
    ),
    command(2,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_GET_PAR(6000)
    ),
    command(3,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_START_HS_REC()
    ),
    command(4,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_CALIBRATION("CAL_I1_S1","IDIS_SDIS","DISABLE",1,"LAMP_1")
    ),
    command(5,
        SCHEDULED_TIME,\00:04:00\,FROM_PREVIOUS_START,
        JRM_STOP_HS_REC()
    ),
    command(6,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        JRM_ERROR_LOG()
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

request(JRM_068,
    START_TIME,2018-039T06:57:00.000,
    TITLE, "jm0111_JRM-POWER_OFF",
    REQUESTOR, "JRMTEAM",
    PROCESSOR, "VC2",
    KEY, "No_Key")
    command(1,
        SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
        VM_LOAD(21,\"d:/seq/hlfp_spm_safe_jiram.mod")
    ),
    note(1,
        SCHEDULED_TIME,\00:00:04\,FROM_PREVIOUS_START,
        TEXT,\"NaN\"
    ),
end;

```

			JIR-IAPS-SY-011-2018	
			Issue	1.0
	JUNO/JIRAM		Page	52 of 52

```

request(JRM_069,
      START_TIME,2018-039T06:57:16.000,
      TITLE, "jm0111_JRM_Heater_Op",
      REQUESTOR, "JRMTEAM",
      PROCESSOR, "VC2",
      KEY, "No_Key")
command(1,
      SCHEDULED_TIME,\00:00:00\,FROM_REQUEST_START,
      THRM_SET_PT_SEL("JIRAM_OH","NON_OPERATIONAL")
),
command(2,
      SCHEDULED_TIME,\00:00:01\,FROM_PREVIOUS_START,
      THRM_SET_PT_SEL("JIRAM_DECON","NON_OPERATIONAL")
),
command(3,
      SCHEDULED_TIME,\00:00:02\,FROM_PREVIOUS_START,
      THRM_SET_PT_SEL("JIRAM_ELECT_BF","NON_OPERATIONAL")
),
end;
$$EOF

```